

# PRODUCT INFORMATION PACKET



Model No: C196LA  
Catalog No: C196LA  
Fan and Blower Motor, 1/4 HP, 1 Ph, 60 Hz, 115/230 V, 1800 RPM, 48 Frame, ODP



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies.  
©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E





**Nameplate Specifications**

Phase	1	Output HP	1/4 Hp
Output KW	0.19 kW	Voltage	115/230 V
Speed	1725 rpm	Service Factor	1.35
Frame	48	Enclosure	Open Drip Proof
Thermal Protection	Automatic	Ambient Temperature	40 °C
Frequency	60 Hz	Current	4.50/2.25 A
Duty	Continuous	Insulation Class	B
UL	Recognized	CSA	Y
CE	N	Number of Speeds	1

**Technical Specifications**

Electrical Type	Capacitor Start Induction Run	Starting Method	Across The Line
Poles	4	Rotation	Reversible
Mounting	Cushion Base	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Flat	Overall Length	9.33 in
Frame Length	4.94 in	Shaft Diameter	0.500 in
Shaft Extension	1.56 in		
Outline Drawing	C196LA-S01	Connection Drawing	619438-008

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:09/27/2023

