

PRODUCT INFORMATION PACKET



Model No: OKR1096V1

Catalog No: OKR1096V1

Condenser Fan Motor, 0.50 HP, 3 Ph, 60 Hz, 230/460 V, 1200 RPM, 56 Frame, TEAO



Regal and Century are trademarks of Regal Rexnord Corporation or one of its affiliated companies.

©2023 Regal Rexnord Corporation, All Rights Reserved. MC017097E







Nameplate Specifications

Phase	3	Output HP	0.50 Hp
Output KW	0.37 kW	Voltage	230/460 V
Speed	1140 rpm	Service Factor	1.0
Frame	56	Enclosure	Totally Enclosed Air Over
Thermal Protection	Thermally Protected	Efficiency	75.5 %
Ambient Temperature	40 °C	Frequency	60 Hz
Current	2.0/1.0 A	Duty	Continuous
Insulation Class	B	UL	Recognized
CSA	Y	CE	N
Number of Speeds	1		

Technical Specifications

Electrical Type	Three Phase	Starting Method	Across The Line
Poles	6	Rotation	Reversible
Mounting	Round	Drive End Bearing	Ball
Opp Drive End Bearing	Ball	Frame Material	Rolled Steel
Shaft Type	Flat	Overall Length	11.96 in
Frame Length	7.25 in	Shaft Diameter	0.625 in
Shaft Extension	1.91 in		
Connection Drawing	DD10027-00	Outline Drawing	OL56100259-001

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created:10/10/2023



DRAWING REVISION A		REVISION BY	DATE	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DRAWN BY F.RAMIREZ	
ECO	ECO-0125539	APPROVED BY	DATE	DEC.	INCH mm	ANGLE	DATE
ECO DESCRIPTION		NEW		.X	±0.1 [±2.5]	17° 30'	07-01-2017
COPYRIGHT REGAL BELOIT AMERICA, INC. ALL RIGHTS RESERVED.		REMOVE BURRS & BREAK SHARP		.XX	±0.02 [±0.51]		APPROVED BY
PROPRIETARY AND CONFIDENTIAL INFORMATION. THIS DOCUMENT IS THE PROPERTY OF REGAL BELOIT AMERICA, INC. FURNISHING AND CONTAINING OWNERS PROPRIETARY INFORMATION. ANY PERSON, CORPORATION OR OTHER FIRM RECEIVING IT IS DEEMED TO HAVE RECEIVED IT, TO AGREE THAT IT, AND/OR ANY PART OF IT, SHALL NOT BE DISCLOSED TO ANY PERSON, CORPORATION OR OTHER ENTITY, DUPLICATED, AND/OR USED, EXCEPT AS EXPRESSLY APPROVED IN WRITING IN ADVANCE BY OWNER. THIS DOCUMENT SHALL BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO CERTAIN RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS.		EDGES: .003/.015 [0.076/.381]		.XXX	±0.005 [±0.127]		DATE
		CORNER FILLETS: .02 [1.51]		.XXXX	±0.0005 [±0.0127]		REFERENCE
		MACHINED SURFACES: 200/INCH/5.1		THIRD ANGLE PROJECTION		OKR1096	MATERIAL
		mm SHOWN IN [BRACKETS]		SIZE		OKR1096	PROCESS/FINISH
				DRAWING NUMBER		OL56100259-001	
				SHEET		1 OF 1	