





PROPANE TRUCK VALVES

THE ORIGINAL T/S-SS-1000N-4B



- High Grade 316 CF8M Stainless Steel Construction
- 100% Full Port Design
- Lower Pressure Drop than other Globe Valve Designs
- 100% Pressure Tested
- UL Rated 1/4" - 2" (MHKZ, YQNZ, YSDT, YRBX, YRPV) 
- High Grade Hostaflon® 1600 TFM Seats
- Adjustable Packing Gland with RPTFE Packing
- 304 Stainless Steel Locking Handle
- Quarter-turn Operation
- Threaded and Socket Weld Connection
- Three Piece, 4 Bolt, Swing-Out Body Design
- Replacement Seats and Seals Available

NEXT GENERATION T-SS-100N-4B: New configurations of the ever popular T-SS-1000N-4B include a labor reducing square flange and an added port that can be used for hydrostatic relief and/or bleed lines. Both of these features reduce cost, labor, leak points and space in bobtail and transport truck construction. The new generation T-SS-1000N-4B incorporates these advantages while still maintaining all of the superior features and benefits of the original T/S-SS-1000N-4B.

501-308



- Accessory port 1/2" MNPT (1/4" FNPT)
- Drain
- 100% leak tested
- Solid ball construction
- Handle may be locked in open or closed position
- Repair kits available



500-368



- Two accessory ports 1/2" MNPT (1/4" FNPT)
- Labor reducing square flanges
- 100% leak tested
- Solid ball construction
- Handle may be locked in open or closed position
- Repair kits available




501-358



- Accessory port 1/2" MNPT (1/4" FNPT)
- Drain
- Labor reducing square flange
- 100% leak tested
- Solid ball construction
- Handle may be locked in open or closed position
- Repair kits available



500-358



- Labor reducing square flange
- 100% leak tested
- Solid ball construction
- Handle may be locked in open or closed position
- Repair kits available






T-SS-1001N
2 Piece • Full Port • Threaded Connection • 1000 WOG



T-SS-2000N-MF
2 Piece • Full Port • Male x Threaded Connection • 2000 WOG



- 100% leak tested
- Solid Ball Construction
- Handle may be locked in open or closed positions
- Two Piece Construction



- 100% leak tested
- Solid Ball Construction
- Handle may be locked in open or closed positions
- Two Piece Construction

T-SS-2000N-DH
2 Piece • Full Port • Threaded Connection
• 2000 WOG • with Spring Return Handle

T-SS-1000N-4B Repair Kit
Stainless Steel Repair Kits



- 100% leak tested
- Solid ball construction
- Spring loaded / fail safe handle
- 1/4"-1" two piece construction
- 1-1/4"-2" 3 piece, 4 bolt pattern



- Hostaflo® TFM 1600 Seats (2)
- Hostaflo® TFM 1600 Body Seals (2)
- Hostaflo® TM 1600 Stem Seal (1)
- RPTFE Packing (2)

*Valve accessories not included



7243 Miller Drive , Warren, MI 48092
phone: (586) 268-1220 • fax: (586) 979-8315 • email: csr@jomar.com
www.jomarvalve.com