

# Product data sheet

## Characteristics

# 9070T150D2

## TRANSFORMER CONTROL 150VA

### 240/480V-24V

Product availability : Stock - Normally stocked in distribution facility



Price\*\* : 230.00 USD



### Main

Product or component type	Industrial Control Transformer
Power Rating	150 VA
Primary Voltage	240 x 480 V
Secondary Voltage	24 V
Type	T

### Complementary

Number of Phases	1 phase
Power Rating	150 VA
Primary to Secondary Voltage	240 x 480 V 24 V
Temperature rise	55 °C
Electrical connection	Screw clamp terminals
Height	81.28 mm (3.2 in)
Width	95.25 mm (3.75 in)
Depth	91.19 mm (3.59 in)
Material	Copper winding
Fingersafe Cover Compatibility	FSC1

### Environment

Product certifications	CSA file LR37055 guide 184-N-90 UL listed file E61239 CE
Enclosure Type	Not rated (open device)
Insulation temperature	221 °F (105 °C)

## Ordering and shipping details

Category	16200 - 9070 T (NOT TF) 50-200VA
Discount Schedule	CP8
GTIN	00785901905080
Package weight(Lbs)	2.46 kg (5.43 lb(US))
Returnability	Yes
Country of origin	MX

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Phenyl glycidyl ether which is known to the State of California to cause Carcinogen & Reproductive harm. For more information go to <a href="http://www.p65warnings.ca.gov">www.p65warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations

## Contractual warranty

Warranty	10 Years
----------	----------

Approximate Dimensions

