

Tools

Scan for ATP1 video



ATP1 ATTIC PRO[®] UTILITY LIFT

- Adjustable from 14" to 24"
- 20 ft. Cable Length
- Integrated Locking Hook
- Lifts Up To 250 lbs.
- Sturdy Steel Construction
- Equipment Strap Included
- Carrying Case Included



FIM20 FLEXIBLE INSPECTION MIRROR

- 20" Mirror
- Flexible to 75° Angle
- Polycarbonate Material
- Integrated Flashlight
- Ergonomic Handle
- Carrying Pouch Included
- 6 Per Display Case



TELESCOPING MIRRORS

- Double Ball Joint Head Adjustment
- Extendable/Retractable Design
- Carrying Pouch Included
- Glass Mirrors

PART NO.	DESCRIPTION	EXTENDED LENGT
IM1	1.25" Round Glass Mirror, Pocket Clip	27"
IM2	1" x 2" Oval Glass Mirror, Pocket Clip	28"
IM3	2.25" Round Glass Mirror, Vinyl Grip Handle	14.5"
IM4	2.25" Round Magnifying Glass Mirror, Vinyl Grip Handle	14.5"
IM5	2.25" x 3.25" Rectangular Glass Mirror, Vinyl Grip Handle	15.5"
IMK3	Combination Tool, Pocket Clip Includes: Match Clip, Magnet, 2" Round Mirror & PVC Pouch	27"



IM3



IM4



IM1



IMK3



IM2



IM5

UFC1 FIN COMB

- Cleans and Straightens Fins for Better Operating Efficiency



FPT10, FPT13 & FPT15 FIN JACK

- Straightens and Separates Bent Fins Quickly and Easily. One Tool Can Be Used For Up To 3 Sizes Of Fins

PART NO.	DESCRIPTION	COLOR
FPT10	9 & 10 Fins per inch	Black
FPT13	11, 12 & 13 Fins per inch	Orange
FPT15	14, 15 & 16 Fins per inch	Red



FCR6/FCRH6 HANDY RING FIN COMB SET

- Six of the Most Popular Fin Combs Covering Twelve Different Size Fins on a Convenient Ring. Includes FC0810, FC0915, FC1113, FC1214, FC1617 and FC1820
- FCH6 Includes All Above, But "FCH" Instead of "FC"



T
O
O
L
S

Tools

FIN COMBS

- Straighten and Clean Evaporator and Condenser Fins

Standard

FINS PER		
PART NO.	INCH	COLOR
FC0810	8 and 10	Orange
FC0915	9 and 15	Yellow
FC1113	11 and 13	Blue
FC1214	12 and 14	Green
FC1617	16 and 17	Lime
FC1820	18 and 20	Red
FC2224	22 and 24	Purple

High Efficiency

PART NO.	FINS PER INCH	COLOR
FCH0810	8 and 10	Orange
FCH0915	9 and 15	Yellow
FCH1113	11 and 13	Blue
FCH1214	12 and 14	Green
FCH1617	16 and 17	Lime
FCH1820	18 and 20	Red
FCH2224	22 and 24	Purple



FL6N1

6 IN 1 FLASHLIGHT

- 6 Distinct Functions
- 18 Powerful Ultra Bright White LEDs
- Red Laser Pointer
- 6 Pack Counter Display
- 18 Bright White LEDs Emergency Flasher
- 6 Powerful UV LEDs Reveal the Invisible
- Directional Compass

18 Bright White LEDs 216,000 MCD



18 Bright White LEDs in Flash Mode



6 UV LEDs Reveal the Invisible



6 Green LEDs Help Maintain Night Vision



Laser Travels Over 450 Yards



Directional Compass



PL6

STICK LIGHT

- 6 Super Bright LEDs
- Long Life
- Pocket Clip
- Sold in 12-pack Counter Display



FLT3M

TELESCOPING LED FLASHLIGHT

- Multi-Function LED Flashlight
- 3 Super Bright LEDs with Handy On/Off Button
- Powerful Magnet on Grip Handle & Light Tip
- Flexible Shaft for Hard to Reach Places
- Extendable to 21" (53cm)
- 1.5" (3.81cm) Round Inspection Mirror Attachment
- Pocket Clip for Secure Storage
- Batteries: 4-LR44 Included & Installed in Light Tip



Tools

UVL200 UV LEAK DETECTION LIGHT & GLASSES

- 9 LED Bulbs for High Intensity
- Impact Resistant Glasses



FP18 FILTER PULLER

Makes Getting to Hard-To-Reach Filters Easy!

- 18" Extension
- Magnetic Tip
- Ergonomic Handle



ESPRO1 STATIC PRO WRIST STRAP

Dissipates Static During Electronic Repair and Maintenance

- Current Limiting Resistor
- Adjustable



GFK1 GREASE KIT

- One Time Installation
- Provides Easy Access to Hard-To-Reach Lubrication Points
- Makes Preventative Maintenance (PM's) Routine
- Eliminates Need for Cover Removal and Equipment Disassembly
- Complete with 10' High Pressure Tubing and Required Fittings
- Tubing Rated -60°F to 200°F



TB123A SPANNER WRENCH

- Wrench for Removing and Installing Washer Tub Retainer Nut
- Approximately 14" L x 2 1/2" W x 3/8" H



SCWG3 WATER GUARD

- Fits Around Inlet Hose
- Starts Operation Immediately After Installation
- Prevents and Removes Limestone
- Saves Energy and Water
- 3 Magnets Per Side



Tools

SCWG4 SUPER WATER GUARD

- Fits Around Inlet Hose
- Starts Operation Immediately After Installation
- Prevents and Removes Limestone
- Saves Energy and Water
- 4 Magnets Per Side



445 KD® INTERNAL SNAP RING PLIER



446 KD® EXTERNAL SNAP RING PLIER



447 KD® REPLACEMENT TIPS FOR 445 & 446



145 KD® HOSE PINCH OFF PLIER



- ### 3793 2.5" OD HOSE PINCH-OFF PLIERS
- Extra Long Cushioned Hand Grips for Comfort and Control
 - Patented Clamping Mechanism Locks Automatically. No Screws or Levers to Set or Adjust
 - Black Oxide Coated to Resist Rust and Corrosion



3975 KD® CORBIN HOSE CLAMP PLIER



- ### FBP100 FAN BLADE PULLER
- Sturdy, Heavy Duty Steel
 - 5/8" Steel Center Shaft
 - 4 Pull Fingers
 - Alignment Tool Included
 - Has Flats for Wrench
 - Fine Thread Version Provides Additional Torque & Pulling Power



Tools

CTP1 CAPILLARY TUBE CUTTER

- 5" Stripper and Cutter. Fast, Efficient and All Purpose



FP1 FAUCET PRO

- For Easy Installation
- Slots Fit Most Hose Fittings
- Integrated Torque Amplifier



TC2 HEAVY DUTY TUBE CUTTER

- For Clean Cuts in Hard or Soft Copper, Aluminum, Brass, Thin Wall Steel and Stainless Steel
- Complete with Foldaway Reamer Blade and Spare Cutting Wheel
- Rollers have Flared Cut Off Groove
- Cuts Tubes from 1/8" Thru 1 1/8" O.D.
- Replacement Cutting Wheel P/N: TC2W



SF4311 "FASTAP" TUBE PIERCING PLIERS

- Fast Refrigerant Recovery: Just Clamp and Recover
- Tubing Sizes 1/4" to 7/8" O.D.
- Replaceable Self-Sharpening Tip
- Simple To Use
- Light Weight



SF4314 TUBE PIERCING PLIERS REPLACEMENT TIP



SF3970 INTERNAL TEMPERATURE READING TOOL

Take Internal Temperatures of Refrigerant Lines Digitally

- Accurately Adjust Superheat
- Simple Instructions
- Inserts Through Access Fitting (supplied)
- Includes Core Removal Tool and Digital Thermometer



DHS55 DIGITAL HANDHELD SCALE

This Compact Handheld Scale Provides Quick Measurements for your Refrigeration Applications

- 55 lbs Max Scale
- Auto Shut Off
- 2% Accuracy
- Lbs/Kgs Switchable
- One Button Operation
- Max Weight Memory
- 9V Battery Included



Tools

HVT2 SAFE-T-TESTER SCREWDRIVER

- 110-220 VAC
- Light in Handle Indicates Power



FWB1 FIN WISK BRUSH

- Long Lasting, Sturdy Bristle Design



RCB1 REFRIGERATION COIL BRUSH

- 27 1/2" Long
- 12" Brush Length
- 1 1/2" and 3/4" Bristle Length



AIR CONDITIONING & REFRIGERATION WRENCHES

PART NO.	DESCRIPTION
RW516	1/4" - 3/16" Sq. x 3/8" - 5/16" Hex
RW916	1/4" - 3/16" Sq. x 1/2" - 9/16" Hex
RWA10	Hex adapter for refrigeration wrenches



RW516

UW1 UNIVERSAL WRENCH

- Sizes from 1/4", 5/16", 11/32" and 3/8"



BJ10 BELT-JACK INSTANT BELT TIGHTENER

Designed to Set Belt Tension and to Help Align Pulleys on All Belt Driven Units Including Blower Motors, Compressors, Transmissions and Automotive Components

- Opens from 4 1/2" to 15" with Extender
- Heavy Duty 3/8-16 Thread



TC103 TEST CORD

- 6' Length, Heavy Duty, 16 Gauge Wire
- Male Plug to Medium Duty Spring Clips
- 2 Wire, Black/Red



Tools

SR6N1 6 IN 1 RATCHET SCREWDRIVER

- Ratchet Action
- 3-Settings: Forward, Manual, Reverse
- Bit Sizes: Slotted 3/16" and 1/4", Phillips #1 and #2, Nut Driver 1/4" and 5/16"
- 12 Pack Counter Display



LBIT LARGE PHILLIPS/SLOTTED REPLACEMENT BIT

- SR6N1 Replacement Bit



SBIT SMALL PHILLIPS/SLOTTED REPLACEMENT BIT

- SR6N1 Replacement Bit



DA86420 4 IN 1 MULTI-SOCKET

- Replaces the Four Most Common Nut Drivers
- SAE Socket Sizes 1/4", 3/8", 5/16", 7/16"
- Telescoping Action Provides Two Socket Sizes at Each End
- High-Torque Grip Textured, Non-Slip Surface
- 12/Display Box



SAB454 SECURITY MULTI-DRIVER

- Features Extra-Long 3" Nosepiece Reaches Even Recessed Fasteners
- Includes 14 Security Tips Plus 2 Standard Tips on Eight 3" Long, Double-Ended Bits
- Countertop Display of 12

Bits Included

Hex Security	1/8", 9/64", 5/32", 3/16"
Spanner	4, 6, 8, 10
Roberts Security	1, 2
Torx Security	10, 15, 20, 25
Phillips	2
Slot	7/32"



SAB233 CLASSIC MULTI-DRIVER

- Standard Size Driver. Replaces 16 of the Most Frequently Used Bits

Bits Included

Hex Security	3/32", 1/8", 5/32", 3/16"
Roberts Security	2, 3
Torx Security	15, 20, 25, 30
Phillips	0, 1, 2, 3
Slot	1/4", 3/16"



SAB710 RATIO MULTI-DRIVER

- Multi-Driver Replaces 16 Screwdrivers
- 4 to 1 Ratio Nosepiece Turns Four Times with Each Turn of the Handle
- 1 to 1 Ratio Nosepiece Turns with the Handle
- Reversible Ratchet Changes Direction Quickly with One Hand, Even During Use
- 8 Extra-Long (3") Double-Ended Bits. Bits Stored in the Handle and a 1/4" Nut Driver in the Nose

Bits Included

Hex Security	3/32", 1/8", 5/32", 3/16"
Roberts Security	2, 3
Torx Security	15, 20, 25, 30
Phillips	0, 1, 2, 3
Slot	1/4", 3/16"



DA76070

2 IN 1 CUTTER/STRIPPER

- Cuts Wire with One End, Grabs and Strips Wire with the Other
- Stripper Self-Adjusts to Wire; No Stripping Holes
- Cutting Head is Full-Flush Cutting and Low Profile with Stainless Steel, Induction-Hardened Jaws



ELB320

HEAVY DUTY PLIERS - 11" EXTENDED

- Specialty Pliers, 11" Reach
- Professional Quality
- Two-Color Textured Handles



DA76190

DUAL SNAP RING PLIERS

- Lighten Your Toolbox
- All-In-One Tool Removes Both Internal and External Snap Rings
- Spring-Loaded Oversized Handle, Cushioned for Comfortable Use



RC2108 & RC2110

PRECISION ADJUSTABLE WRENCHES

- Oversized Jaw Opens 18% Wider than Standard Wrenches
- Dual Calibrated Jaw
- Oversized Grip has Superior Balance to Reduce Hand Fatigue
- Constructed of Heavy-Gauge, Industrial-Quality Steel Insuring Durability



RC2108

ELB721

MINI CABLE TIE GUN

- The Right Cable Tie Gun for Small Jobs
- Compact Size Accommodates Plastic Cable Ties up to 0.25" in Width
- Twist Cable Gun to Cut and Trim Off Excess Cable Tie Length



ELB701-L

CABLE SPLICING KNIFE

- Coping-Type Blade is Machined From Fine Cutlery Steel
- Non-Slip, Textured Rubberized Handle
- Heavy-Duty Leather Carrying Sheath Included

