



Economy, Efficiency, and Performance

ecoSchwank is the most economical choice for any high intensity heater. It delivers uniform and reliable comfort to industrial and commercial facilities with high ceilings up to 70 feet. Full operating temperature is reached within 2 minutes making it the ideal choice for supplying total building heat, spot heating, and work level heating.

The unique and patented ceramic tile design of the **ecoSchwank** increases radiant efficiency and reduces fuel cost up to 50% over conventional heating systems and is suitable for industrial and commercial applications.

Experience Counts: Schwank is the worldwide market leader and most trusted brand with over 2 million heating appliances sold.



Features

- Aluminized steel burner housing to resist corrosion and withstand high temperature
- Green technology: fuel costs and CO2 emissions reduced up to 50%
- Direct spark ignition ensures ultimate safety and fuel economy

Optional Accessories [See back for more details.](#)

- ThermoControl Plus
- TruTemp
- Lion Chain

Also Available in double burner model

Contact us today for a FREE design and quote!

ecoSchwank - Economical High Intensity Heater

Information below is intended only as a reference and should not be used when installing equipment. Please ensure you locate the most recent instruction manual for accurate and up to date information.

Clearances to Combustibles

Single Burner Models 6 to 26

Double Burner Models 36 & 52

Site distance to floor = T
Max. Stack Height: H' = T - D

MODEL	SUSPENDED HORIZONTALLY				SUSPENDED AT AN ANGLE UP TO 30°	
	A	B	D	C	E	F
ecoSchwank 6	24"	27"	60"	24"	60"	24"
ecoSchwank 10	24"	27"	60"	24"	60"	24"
ecoSchwank 13	24"	27"	78"	24"	78"	24"
ecoSchwank 18	30"	33"	84"	30"	84"	30"
ecoSchwank 26	36"	33"	84"	30"	84"	30"
ecoSchwank 36*	52"	55"	121"	39"	84"	55"
ecoSchwank 52*	52"	55"	121"	39"	84"	55"

*Double Burner Models

Dimensions and Specifications

Single Burner Models 6 to 26

Double Burner Models 36 & 52

MODEL	DIMENSIONS			INPUT BTU/HR	WEIGHT LBS.	ELECT.
	A	B	C			
ecoSchwank 6	13.50"	24"	11.28"	21,500	22	24 VAC 60 Hz 0.55 A
ecoSchwank 10	20.50"	30.25"	15.50"	35,000	26	
ecoSchwank 13	28.00"	38.50"	18.50"	50,000	31	
ecoSchwank 18	38.75"	48.50"	29.5"	65,000	38	
ecoSchwank 26	53.25"	63.75"	44"	100,000	45	
ecoSchwank 36*	39.75"	48.50"	36.50"	143,000	65	
ecoSchwank 52*	54.25"	63.00"	51.00"	200,000	75	

*Double Burner Models

Optional Accessories

Flexible Gas Connector 1/2" x 24"	JL-0771-XX
#2 Lion Chain, roll 200'	JL-0800-XX
Safety Snap Hooks 2" - Package of 24	JL-0800-SH
Safety Snap Hooks 2" - Package of 100	JL-0800-SH-B

Consult your local authorized dealer for other Schwank accessories:

- Line-voltage and 24V thermostat and controls
- Side reflector extensions



ecoSchwank 36, 52
Installation Manual



ecoSchwank
Installation Manual



Replacement Parts List

Heater Controls & Thermostats



ThermoControl Plus

Intelligent Infrared Heater Control

- Easy to use menu and graphical interface
- Minimal set up and configuration
- Handles up to 8 control zones for single and two-stage applications
- 8 programmable holiday periods per heating zone
- Data acquisition software offers reporting and analysis capabilities



TruTemp

Infrared Setback Thermostat

- Setback reduces control temperature by 9°F [13°C] when a building is unoccupied
- Setback is activated at night time by turning off lights
- Mounts on standard 4" [10cm] electrical box or directly to wall
- Tamper-proof option

Distributor Information:

Our customers include:



USA: 2 Schwank Way, Waynesboro, GA 30830 | Canada: 5285 Bradco Blvd. Mississauga, ON L4W 2A6
Tel: 1-877-446-3727 | Fax: 1-866-361-0523 | www.schwankgroup.com | csr@schwankgroup.com



M011415 RL: v1.6 RD: Mar-2019